

 <p style="text-align: center;">State of Ohio Weatherization Program Standards</p>	Section	PRIORITY LISTS
	Subject	Individually Heated, Low Rise, 5+ Multi-Family Buildings

Priority List for Individually Heated, Low Rise, 5+ Multi-Family Buildings¹

Priority Rating by Housing Type

<u>Measures</u>	A	B	C	D	E	F	G	I
Uniform Measures	3	4	3	3	3	3	2	3
Ceilings <R-19 to R-38	1	1	1	1	1	1	1	1
Uninsulated Walls to R-15	2	2	2	2	2	4	-	-
Uninsulated Floors to R-19 ² and ³	4	3	4	-	4	2	-	2

¹ Centrally heated multi-family buildings with 5 or more units can have priorities determined by a DOE approved audit tool but only with OEE’s prior written authorization.

² Floors are only insulated if basement, crawlspace, or combination basement/crawl space separates a conditioned space from an unconditioned space. If area is conditioned or unintentionally conditioned this priority is not applicable.

³ Perimeters are insulated in a conditioned basements, crawl spaces, or combinations if:

- a. Inhabitant activity suggests the insulation will stay in place undamaged;
- b. Moisture can be controlled.

Section 202-5 provides further clarification on footnotes 2 and 3.